



Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Candy Cane (Contains:Benzyl benzoate, I-Menthone)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Fizzywhiz

Company address: Unit 23, Maritime Enterprise Park

Atlas Rd Liverpool Bootle L20 4DY

Contact: Regulatory Affairs

E-Mail address: info@fizzywhiz.com

Company phone: 0151 922 0041

1.4 Emergency telephone number

Emergency phone: 0151 922 0041

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Acute Toxicity - Oral Category 4 danger:

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H302, Harmful if swallowed.

H317, May cause an allergic skin reaction.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

Hazard statements: H302, Harmful if swallowed.

H317, May cause an allergic skin reaction.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains Acetyl propionyl, alpha-Pinene, beta-Pinene, d,l-Isomenthone, l-Limonene.

May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/312, IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P330, Rinse mouth.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Acetyl propionyl, alpha-Pinene, beta-Pinene, d,l-

Hazard Label: Isomenthone, I-Limonene

Hydrocarbon Concentration %: 0.0000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|------|-----|----|------------------------|---|------------------------------------|---|
|------|-----|----|------------------------|---|------------------------------------|---|





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

| Benzyl benzoate | 120-51-4 | 204-402-9 | 69.76% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400- H411,- | oral: ATE = 1160 mg/kg bw |
|------------------|------------|-----------|--------|--|---|
| Menthol | 89-78-1 | 201-939-0 | 3.91% | Skin Irrit. 2;H315,- | oral: ATE = 2500 mg/kg bw |
| I-Menthone | 14073-97-3 | 237-926-1 | 2.06% | Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B;H315- H317-H332,- | inhalation: ATE = 1.5 mg/l (dusts or mists)- oral: ATE = 2219 mg/kg bw |
| I-Menthol | 2216-51-5 | 218-690-9 | 1.00% | Skin Irrit. 2;H315,- | oral: ATE = 2500 mg/kg bw |
| d,I-Isomenthone | 491-07-6 | 207-727-4 | 0.99% | Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B;H315- H317-H332,- | inhalation: ATE = 1.5 mg/l (dusts or mists)- oral: ATE = 2219 mg/kg bw |
| I-Limonene | 5989-54-8 | 227-815-6 | 0.52% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,- | M = 1 |
| beta-Pinene | 127-91-3 | 204-872-5 | 0.15% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,- | M = 1-M = 1 |
| alpha-Pinene | 80-56-8 | 201-291-9 | 0.14% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,- | M = 1-M = 1-oral: ATE = 500 mg/kg bw |
| Acetyl propionyl | 600-14-6 | 209-984-8 | 0.10% | Flam. Liq. 2-Eye Dam. 1-Skin Sens. 1B-STOT RE 2;H225-H317- H318-H373,- | dermal: ATE = 2500 mg/kg bw-oral: ATE = 3000 mg/kg bw |

Substances with Community workplace exposure limits:

Not Applicable

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

Ingestion: IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:

Odour:

Not determined

Odour threshold:

Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: 99 °C

Auto-ignition temperature:Not determinedDecomposition temperature:Not relevantpH:Not determinedKinematic viscosity:Not determinedSolubility:Not determined





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

Partition coefficient: n-octanol/water (log Not determined

value):

Vapour pressure:Not determinedDensity and/or relative density:Not determinedRelative vapour density:Not determinedParticle characteristics:Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Acute Toxicity - Oral Category 4

Acute Toxicity Oral 1616

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Based on available data the classification criteria are not met. **Serious eye damage/irritation:**Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral (mg/kg) | LD50/ATE Dermal (mg/kg) | LC50/ATE Inhalation | LC50 Route |
|-----------------|------------|-----------|--------------------------|----------------------------|------------------------|-------------------|
| Benzyl benzoate | 120-51-4 | 204-402-9 | 1160 | Not available | Not available | Not available |
| I-Menthone | 14073-97-3 | 237-926-1 | 2219 | Not available | 1.5 | Dust/mist mg/l |

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable **12.7 Other adverse effects:** Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | | 14.4 Packing Group: |
|-------------------------|--------------------|--|--|---|------------------------|
| UN Model Regulations | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene) | 9 | - | III |



Fizzy

Issue date: 11/06/2024

Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

| IMDG | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene) MARINE POLLUTANT | 9 | - | III |
|-------------|--------|--|---|---|-----|
| ADR,RID,ADN | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene) | 9 | - | III |
| ICAO TI | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene) | 9 | - | III |

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user:

None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SS 1=48.54% EH A1=35.43% EH C2=34.41% EH C3=3.44% EH C4=35.

69%

Total Fractional Values: SS 1=2.06 EH A1=2.82 EH C2=2.91 EH C3=29.06 EH C4=2.80

Key to revisions:

Concentration % Limits

SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--|
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 4 | Acute Toxicity - Inhalation Category 4 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
|--------------|--|
| Flam. Liq. 2 | Flammable Liquid, Hazard Category 2 |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H373 | May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe vapour or dust. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |





Version: 2 (11/06/2024)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Candy Cane

Version: 2

| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. | | | |
|---------------|--|--|--|--|
| P362 | Take off contaminated clothing and wash before reuse. | | | |
| P363 | Wash contaminated clothing before reuse. | | | |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. | | | |
| P391 | Collect spillage. | | | |
| P403/235 | Store in a well-ventilated place. Keep cool. | | | |
| P405 | Store locked up. | | | |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. | | | |
| STOT RE 2 | Specific Target Organ Toxicity (Repeated Exposure) Category 2 | | | |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 | | | |
| Skin Sens. 1B | Sensitization - Skin Category 1B | | | |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.