



# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

## Section 1. Identification of the substance or the mixture and of the supplier

### 1.1 Product Identifier

**Product identifier:** Portofino (Contains:Geraniol, Linalool, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, dl-Citronellol)

**Other identifiers:** None

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

### 1.3 Details of the supplier of the safety data sheet

**Company name:** Fizzywhiz

**Company address:** Unit 23, Maritime Enterprise Park  
Atlas Rd  
Liverpool  
Bootle  
L20 4DY

**Contact:** Regulatory Affairs

**E-Mail address:** info@fizzywhiz.com

**Company phone:** 0151 922 0041

### 1.4 Emergency telephone number

**Emergency phone:** 0151 922 0041

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Skin Corrosion / Irritation Category 2  
Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 2  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H411, Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### **Classification under Regulation (EC) No 1272/2008**

**Signal word:** Warning

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

**Hazard statements:** H315, Causes skin irritation.  
 H317, May cause an allergic skin reaction.  
 H319, Causes serious eye irritation.  
 H411, Toxic to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1-METHYL-2-(5- METHYLHEX-4-EN-2- YL)CYCLOPROPYL) METHANOL, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Methyl-3-tolylpropionaldehyde, 2-Methylundecanal, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Acetyl cedrene, Allyl cyclohexanepropionate, Benzyl salicylate, Coumarin, Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified), Eucalyptol, Geranyl acetate, Hexyl salicylate, Neryl acetate, Tetrahydrolinalool, Veratraldehyde, alpha-Hexylcinnamaldehyde, alpha-Methyl-1,3-benzodioxole-5-propionaldehyde, cis-3-Hexenyl methyl carbonate. May produce an allergic reaction.

**Precautionary statements:** P261, Avoid breathing vapour or dust.  
 P264, Wash hands and other contacted skin thoroughly after handling.  
 P272, Contaminated work clothing should not be allowed out of the workplace.  
 P273, Avoid release to the environment.  
 P280, Wear protective gloves/eye protection/face protection.  
 P302/352, IF ON SKIN: Wash with plenty of soap and water.  
 P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
 P337/313, If eye irritation persists: Get medical advice/attention.  
 P362, Take off contaminated clothing and wash before reuse.  
 P391, Collect spillage.  
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:** Sensitisers declared on a CLP Hazard Label: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1-METHYL-2-(5- METHYLHEX-4-EN-2- YL)CYCLOPROPYL) METHANOL, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Methyl-3-tolylpropionaldehyde, 2-Methylundecanal, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Acetyl cedrene, Allyl cyclohexanepropionate, Benzyl salicylate, Coumarin, Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified), Eucalyptol, Geranyl acetate, Hexyl salicylate, Neryl acetate, Tetrahydrolinalool, Veratraldehyde, alpha-



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino**Version:** 1

**Other hazards:** Hexylcinnamaldehyde, alpha-Methyl-1,3-benzodioxole-5-propionaldehyde, cis-3-Hexenyl methyl carbonate  
Hydrocarbon Concentration %: 0.0000%

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

##### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Linalool	78-70-6	201-134-4		5-<10%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
Dihydromyrcenol	18479-58-8	242-362-4		5-<10%	Skin Irrit. 2-Eye Irrit. 2-STOT SE 3;H315-H319-H336,-	oral: ATE = 3020 mg/kg bw
dl-Citronellol	106-22-9	203-375-0		5-<10%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
gamma-Undecalactone	104-67-6	203-225-4		1-<5%	Aquatic Chronic 3; H412,-	
Geraniol	106-24-1	203-377-1		1-<5%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	63500-71-0	405-040-6		1-<5%	Eye Irrit. 2;H319,-	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	259-174-3		1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,-	
2-tert-Butylcyclohexyl acetate	88-41-5	201-828-7		1-<5%	Aquatic Chronic 2; H411,-	oral: ATE = 4600 mg/kg bw
4-Methyl-3-decen-5-ol	81782-77-6	279-815-0		1-<5%	Aquatic Acute 1-Aquatic Chronic 2; H400-H411,-	M = 1
Tetrahydrolinalool	78-69-3	201-133-9		1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	
Acetoxyl-dihydrodicyclopentadiene (Mixture of Isomers)	54830-99-8	259-367-2		1-<5%	Aquatic Chronic 1; H410,-	oral: ATE = 2750 mg/kg bw
2-Methylundecanal	110-41-8	203-765-0		1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H315-H317-H410,-	M = 1
Benzyl salicylate	118-58-1	204-262-9		1-<5%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	oral: ATE = 2227 mg/kg bw
Benzyl acetate	140-11-4	205-399-7		1-<5%	Aquatic Chronic 3; H412,-	oral: ATE = 2490 mg/kg bw
cis-3-Hexenyl salicylate	65405-77-8	265-745-8		1-<5%	Repr. 2-Aquatic Acute 1-Aquatic Chronic 2; H361-H400-H411,-	M = 1-oral: ATE = 2500 mg/kg bw



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino**Version:** 1

alpha-Hexylcinnamaldehyde	101-86-0	202-983-3		0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400-H411,-	M = 1-oral: ATE = 3100 mg/kg bw
Hexyl salicylate	6259-76-3	228-408-6		0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-	M = 1
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	214-881-6		0.1-<1%	Skin Sens. 1B-Repr. 2-Aquatic Chronic 2; H317-H361-H411,-	oral: ATE = 3562 mg/kg bw
1-METHYL-2-(5-METHYLHEX-4-EN-2-YL)CYCLOPROPYL) METHANOL	1655500-83-6	942-597-9		0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H312-H315-H317-H411,-	
Tetrahydro-4-methyl-2-(2-methylpropen-1-yl)pyran	16409-43-1	240-457-5		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Repr. 2;H315-H319-H361,-	oral: ATE = 4300 mg/kg bw
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	260-709-8		0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1; H302-H315-H317-H410,-	oral: ATE = 1400 mg/kg bw
Geranyl acetate	105-87-3	203-341-5		0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,-	
Ethylene dodecanedioate	54982-83-1	259-423-6		0.1-<1%	Aquatic Acute 1-Aquatic Chronic 3; H400-H412,-	M = 1-oral: ATE = 4500 mg/kg bw
Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified)	27939-60-2	248-742-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2;H315-H317-H319-H411,-	oral: ATE = 2830 mg/kg bw
Allyl hexanoate	123-68-2	204-642-4		0.1-<1%	Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 2; H301-H311-H400-H411,-	M = 1-dermal: ATE = 300 mg/kg bw-oral: ATE = 218 mg/kg bw
Veratraldehyde	120-14-9	204-373-2		0.1-<1%	Acute Tox. 4-Skin Sens. 1B;H302-H317,-	oral: ATE = 2000 mg/kg bw
Allyl cyclohexanepropionate	2705-87-5	220-292-5		0.1-<1%	Acute Tox. 4-Acute Tox. 4-Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 2; H302-H312-H317-H400-H411,-	M = 1-dermal: ATE = 1600 mg/kg bw-oral: ATE = 380 mg/kg bw
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone	33704-61-9	251-649-3		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2;H315-H317-H319-H411,-	oral: ATE = 2900 mg/kg bw
Oxacyclohexadecen-2-one	34902-57-3	422-320-3		0.1-<1%	Aquatic Acute 1-Aquatic Chronic 2; H400-H411,-	M = 1
Neryl acetate	141-12-8	205-459-2		0.1-<1%	Skin Sens. 1B;H317,-	
2-Methyl-3-tolylpropionaldehyde	41496-43-9	255-410-4		0.1-<1%	Skin Sens. 1B;H317,-	oral: ATE = 4100 mg/kg bw
cis-3-Hexenyl methyl carbonate	67633-96-9	266-797-4		0.1-<1%	Skin Sens. 1B;H317,-	
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	268-264-1		0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,-	oral: ATE = 2330 mg/kg bw
Octahydrocoumarin	4430-31-3	224-623-4		0.1-<1%	Eye Dam. 1;H318,-	dermal: ATE = 3500 mg/kg bw-oral: ATE = 3900 mg/kg bw



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

Allyl (3-methylbutoxy) acetate	67634-00-8	266-803-5		0.1-<1%	Acute Tox. 4-Acute Tox. 2-Skin Irrit. 2; H302-H315-H330,-	inhalation: ATE = 0.46 mg/l (dusts or mists)-oral: ATE = 500 mg/kg bw
Methyl benzoate	93-58-3	202-259-7		0.1-<1%	Acute Tox. 4-Repr. 2; H302-H361d,-	oral: ATE = 1350 mg/kg bw
Eucalyptol	470-82-6	207-431-5		0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
Acetyl cedrene	32388-55-9	251-020-3		0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-	M = 1-oral: ATE = 4500 mg/kg bw
Coumarin	91-64-5	202-086-7		0.1-<1%	Acute Tox. 4-Skin Sens. 1B;H302-H317,-	oral: ATE = 500 mg/kg bw
Allyl (cyclohexyloxy) acetate	68901-15-5	272-657-3		0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302-H410,-	M = 1-oral: ATE = 682 mg/kg bw
p-Methoxybenzaldehyde	123-11-5	204-602-6		0.1-<1%	Repr. 2-Aquatic Chronic 3;H361-H412,-	oral: ATE = 3210 mg/kg bw
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	214-946-9		0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1; H410,-	

### Substances with Community workplace exposure limits:

Not Applicable

### Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

#### 8.2 Exposure Controls

##### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

##### Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Physical State/Colour:</b>	Not determined
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range:</b>	Not determined
<b>Flammability:</b>	Not determined
<b>Lower and upper explosion limit:</b>	Not determined
<b>Flash point:</b>	86 °C
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not relevant
<b>pH:</b>	Not determined
<b>Kinematic viscosity:</b>	Not determined
<b>Solubility:</b>	Not determined
<b>Partition coefficient: n-octanol/water (log value):</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density:</b>	Not determined
<b>Relative vapour density:</b>	Not determined
<b>Particle characteristics:</b>	Not determined



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### **10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

#### **10.2 Chemical stability:**

Good stability under normal storage conditions.

#### **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### **10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

#### **10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

#### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Skin Corrosion / Irritation Category 2
<b>Serious eye damage/irritation:</b>	Eye Damage / Irritation Category 2
<b>Respiratory or skin sensitisation:</b>	Sensitization - Skin Category 1
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data the classification criteria are not met.

#### **Information about hazardous ingredients in the mixture**

Ingredient	CAS	EC	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
Allyl (3-methylbutoxy) acetate	67634-00-8	266-803-5	500	Not available	0.46	Dust/mist mg/l



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

Allyl hexanoate	123-68-2	204-642-4	218	300	Not available	Not available
-----------------	----------	-----------	-----	-----	---------------	---------------

Refer to Sections 2 and 3 for additional information.

### 11.2 Information on other hazards

Not Applicable

### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable

**12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetoxidyhydrodicyclopentadiene (Mixture of Isomers))	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetoxidyhydrodicyclopentadiene (Mixture of Isomers)) MARINE POLLUTANT	9	-	III



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino**Version:** 1

<b>ADR,RID,ADN</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetoxidyhydrodicyclopentadiene (Mixture of Isomers))	9	-	III
<b>ICAO TI</b>	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetoxidyhydrodicyclopentadiene (Mixture of Isomers))	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

### Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

None additional

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** SCI 2=34.72% EDI 2=18.11% SS 1=11.76% EH C2=41.47% EH C3=4.10%

**Total Fractional Values:** SCI 2=2.88 EDI 2=5.52 SS 1=8.50 EH C2=2.41 EH C3=24.38

**Key to revisions:**

Not applicable

**Key to abbreviations:**

Abbreviation	Meaning
Acute Tox. 2	Acute Toxicity - Inhalation Category 2
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P281	Use personal protective equipment as required.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Portofino

**Version:** 1

P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
Repr. 2	Toxic to Reproduction Category 2d
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.