



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Troll's Breath (Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone, 3,7-Dimethyl-1,6-nonadien-3-ol, Cedryl methyl ether, Linalyl acetate)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Fizzywhiz

Company address: Unit 23, Maritime Enterprise Park
Atlas Rd
Liverpool
Bootle
L20 4DY

Contact: Regulatory Affairs

E-Mail address: info@fizzywhiz.com

Company phone: 0151 922 0041

1.4 Emergency telephone number

Emergency phone: 0151 922 0041

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H317, May cause an allergic skin reaction.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

Hazard statements: H317, May cause an allergic skin reaction.
H411, Toxic to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains 2,6,10-Trimethyl-9-undecenal, 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde, Geraniol, Isoeugenyl methyl ether, Methoxy dicyclopentadiene carboxaldehyde, Methyl 2-nonynoate, Methyl atrarate, alpha-Methyl-1,3-benzodioxole-5-

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

propionaldehyde, beta-Pinene. May produce an allergic reaction.

Precautionary statements:

- P261, Avoid breathing vapour or dust.
- P272, Contaminated work clothing should not be allowed out of the workplace.
- P273, Avoid release to the environment.
- P280, Wear protective gloves/eye protection/face protection.
- P302/352, IF ON SKIN: Wash with plenty of soap and water.
- P333/313, If skin irritation or rash occurs: Get medical advice/attention.
- P363, Wash contaminated clothing before reuse.
- P391, Collect spillage.
- P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards:

Sensitisers declared on a CLP Hazard Label: 2,6,10-Trimethyl-9-undecenal, 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde, Geraniol, Isoeugenyl methyl ether, Methoxy dicyclopentadiene carboxaldehyde, Methyl 2-nonynoate, Methyl atrarate, alpha-Methyl-1,3-benzodioxole-5-propionaldehyde, beta-Pinene

Hydrocarbon Concentration %: 0.0000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	259-174-3		3.00%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,-	
Cedryl methyl ether	67874-81-1	267-510-5		2.10%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-	M = 1
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	63500-71-0	405-040-6		1.20%	Eye Irrit. 2;H319,-	
Dihydro-beta-ionone	17283-81-7	241-318-1		1.20%	Aquatic Chronic 2; H411,-	



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath**Version:** 1

3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	233-732-6		1.20%	Eye Irrit. 2-Skin Sens. 1B;H317-H319,-	oral: ATE = 5000 mg/kg bw
Linalyl acetate	115-95-7	204-116-4		1.20%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
alpha-Cedrene	469-61-4	207-418-4		0.78%	Skin Irrit. 2-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H304-H315-H410,-	M = 10-M = 10
Methoxy dicyclopentadiene carboxaldehyde	86803-90-9	429-860-9		0.60%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	oral: ATE = 2800 mg/kg bw
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	214-881-6		0.60%	Skin Sens. 1B-Repr. 2-Aquatic Chronic 2; H317-H361-H411,-	oral: ATE = 3562 mg/kg bw
Methyl atrarate	4707-47-5	225-193-0		0.45%	Skin Sens. 1B;H317,-	
Isoeugenyl methyl ether	93-16-3	202-224-6		0.45%	Skin Sens. 1B;H317,-	oral: ATE = 2500 mg/kg bw
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde	67634-14-4	266-818-7		0.30%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2; H315-H317-H400-H411,-	M = 1
Allyl (3-methylbutoxy) acetate	67634-00-8	266-803-5		0.30%	Acute Tox. 4-Acute Tox. 2-Skin Irrit. 2; H302-H315-H330,-	inhalation: ATE = 0.46 mg/l (dusts or mists)-oral: ATE = 500 mg/kg bw
beta-Cedrene	546-28-1			0.25%	Skin Irrit. 2-Aquatic Acute 1-Aquatic Chronic 1;H315-H410,-	M = 10-M = 10
2,6,10-Trimethyl-9-undecenal	141-13-9	205-460-8		0.16%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-	M = 1-M = 1
beta-Pinene	127-91-3	204-872-5		0.12%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-	M = 1-M = 1
Geraniol	106-24-1	203-377-1		0.11%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
Methyl 2-nonynoate	111-80-8	203-909-2		0.03%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 3; H302-H315-H317-H400-H412,-	M = 1-dermal: ATE = 4500 mg/kg bw-oral: ATE = 1600 mg/kg bw

Substances with Community workplace exposure limits:

Not Applicable

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin exposure: IF ON SKIN: Wash with plenty of soap and water.
Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
Melting point / freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	> 100 °C



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

Auto-ignition temperature: Not determined

Decomposition temperature: Not relevant

pH: Not determined

Kinematic viscosity: Not determined

Solubility: Not determined

Partition coefficient: n-octanol/water (log value): Not determined

Vapour pressure: Not determined

Density and/or relative density: Not determined

Relative vapour density: Not determined

Particle characteristics: Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met.

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

Germ cell mutagenicity: Based on available data the classification criteria are not met.
Carcinogenicity: Based on available data the classification criteria are not met.
Reproductive toxicity: Based on available data the classification criteria are not met.
STOT-single exposure: Based on available data the classification criteria are not met.
STOT-repeated exposure: Based on available data the classification criteria are not met.
Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
Allyl (3-methylbutoxy) acetate	67634-00-8	266-803-5	500	Not available	0.46	Dust/mist mg/l

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
--	------------------------	--------------------------------------	--	------------------	----------------------------



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath**Version:** 1

UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Cedrene, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SS 1=33.33% EH C2=15.82% EH C3=1.58%

Total Fractional Values: SS 1=3.00 EH C2=6.32 EH C3=63.20

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 2	Acute Toxicity - Inhalation Category 2
Acute Tox. 4	Acute Toxicity - Oral Category 4



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Troll's Breath

Version: 1

P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.